Basic Research in Cardiology

Archiv für Kreislaufforschung
Official Journal of the German Association of Cardiovascular Research

Initiated by Bruno Kisch – Founded by Eberhard Koch –
Continued by Franz Loogen and Konrad Spang
Editors: G. Elzinga, Amsterdam; R. Jacob, Tübingen; Th. Kenner, Graz

Advisory Board

C. M. Bloor, La Jolla
H. J. Bretschneider, Göttingen
N. S. Dhalla, Winnipeg
S. Ebashi, Tokyo
A. Fabiato, Richmond
H. L. Fung, Buffalo
W. Ganz, Los Angeles
W. Hasselbach, Heidelberg
P. Y. Hatt, Limeil-Brévannes
P. G. Hugenholtz, Rotterdam
A. Maseri, London
H. E. Morgan, Danville
M. Reiter, München
R. Zak, Chicago

Editorial Board

H. Antoni, Freiburg i. Brsg.
E. Bassenge, Freiburg i. Brsg.
D. H. Bergel, Oxford
D. L. Brutsaert, Antwerpen
E. Carmelit, Leuven
K. Dietz, Tübingen
K. A. P. Edman, Lund
E. Gerlach, München
J. P. Gilmore, Omaha
W. Hasselbach, Heidelberg
P. Heintzen, Kiel
W. Hort, Düsseldorf
K. J. Kako, Ottawa
H. Kammermeier, Aachen
W. Klaus, Köln
F. Kölbel, Prague
O. Kraupp, Wien
W. Kübler, Heidelberg
M. Lazdunski, Nizza
B. Lewartowski, Warszawa
P. Lichtlen, Hannover
F. Loogen, Düsseldorf
F. Z. Meerson, Moscow
M. Nagano, Tokyo
M. I. M. Noble, Midhurst
S. Onishi, Osaka
P. A. Poole-Wilson, London
J. C. Rüegg, Heidelberg
G. Rona, Montreal
W. Rutishauser, Genf
M. C. Schaub, Zürich
St. Schiaffino, Padua
T. H. Schiebler, Würzburg
K. Schwartz, Paris
P. J. Schwartz, Mailand
M. Siess, Tübingen
V. N. Smirnov, Moscow
L. Szekeres, Szeged
H. A. Tritthart, Graz
A. Trzebski, Warszawa
N. Westerhof, Amsterdam
A. Ziegelhöffer, Bratislava
H.-G. Zimmer, München

Contents of Volume 83 (1988)

Steinkopff Verlag · Darmstadt

Contents of Volume 83 (1988)

To our readers 1

Editorial

Jacob R, Gülch RW (Tübingen/F.R.G.) Functional significance of ventricular dilatation. Reconsideration of Linzbach's concept of chronic heart failure 461
Kammermeier H, Rose H (Aachen/F.R.G.) Are isolated cardiomyocytes a suitable experimental model in all lines of investigation in basic cardiology? 343
Kenner T (Graz/Austria) Arterial blood pressure and its measurement 107
Papp JGy (Szeged/Hungary) Autonomic responses and neurohumoral control in the human early antenatal heart 2
Török B, Röth E, Trombitás K (Pécs/Hungary) Concordance of structural and functional alterations in myocardial ischemic states 223

Original Contributions

Arad M, Rogel S, Mahler Y, Uretzky G (Jerusalem/Israel) The effect of heart rate on the termination of electrically induced ventricular fibrillation in the isolated perfused rat heart . . 678
Avkiran M, Hearse DJ (London/U.K.) Sex differences in the tolerance of immature rat myocardium to global ischemia 618
Axelsen PH, Bassingthwaigthe JB (Rochester, Seattle/U.S.A.) A constraint on possible stoichimetries of myocardial sodium-calcium exchange 314
Bailey IA, Blackwell CP, Woodward B (Bath/U.K.) Chemiluminescence measurements of xanthine oxidase and xanthine dehydrogenase activity in four types of cardiovascular cell . . . 392
de Beer EL, Grundemann RLF, Wilhelm AJ, van den Berg C, Caljouw CJ, Klepper D, Schiereck P (Utrecht/The Netherlands) Effect of sarcomere length and filament lattice spacing on force development in skinned cardiac and skeletal muscle preparations from the rabbit 410
Bélichard P, Pruneau D, Rochette L (Dijon/France) Influence of spontaneous hypertension and cardiac hypertrophy on the severity of ischemic arrhythmias in the rat 560
Bruinsma P, Arts T, Dankelman J, Spaan JAE (Amsterdam, Maastricht, Delft/The Netherlands) Model of the coronary circulation based on pressure dependence of coronary resistance and compliance 510
Cappelli V, Tortelli O, Zani B, Poggesi C, Reggiani C (Pavia/Italy) Age-dependent changes of relaxation and its load sensitivity in rat cardiac muscle 65
Charlon V, de Leiris J (Grenoble/France) Ability of N-tert-butyl alpha phenylnitrone (PBN) to be used in isolated perfused heart spintrapping experiments: preliminary studies 306
Cuneo ME, Grassi de Gende AO (La Plata/Argentina) Cardiax sarcoplasmic reticulum characteristics in hypertrophic hearts from spontaneously hypertensive rats 286
DeMaison L, Cohen LM, Liedtke AJ, Nellis SH, Whitesell LF, Eggleston A (Madison, Wisconsin/U.S.A.) Effects of (+)-octanoylcarnitine in intact myocardium 77
Djaldetti M, Gilgal R, Shainberg A, Klein B, Zahavi I (Ramat Gran/Israel) SEM observations on the effect of anthracycline drugs on cultured newborn rat cardiomyocytes 672
Dumont L, Williams JS, Vaghy PL, Schwartz A (Cincinnati/U.S.A.) Characteristics of the phenylalkylamine binding site in canine cardiac sarcolemmal membranes 369
Felix SB, Baumann G, Helmus S, Sattelberger U (Munich/F.R.G.) The role of histamine in cardiac anaphylaxis; characterization of histaminergic H1- and H2-receptor effects 531
Garber PM, Mezl VA (Ottawa/Canada) Cardiac mRNA levels during the development and growth of the rat 384
van der Giessen WJ, Harmsen E, de Tombe PP, Hugenholtz PG, Verdouw PD (Rotterdam, The Netherlands/Calgary, Canada) Coronary thrombolysis with and without nifedipine in pigs. . . 258
Grover GJ, Houghton JM, Weiss HR (New Jersey/U.S.A.) Propranolol and thyroxine-induced hypertrophic rabbit hearts: Effect on heart size and regional O_2 supply/consumption variables. 268
Gülch RW, Jacob R (Tübingen/F.R.G.) Geometric and muscle physiological determinants of cardiac stroke volume as evaluated on the basis of model calculations 476
Hahn N, Eichelkraut W, Lackner K, Kulle G, Stahn L, v. Uexküll-Güldenband V (Bonn/F.R.G.) The influence of molsidomine on myocardial ischemia and ventricular dynamics – An in-vitro study in anesthetized dogs by means of computer tomography 238

Hashizume H, Abiko Y (Asahikawa/Japan) Rapid changes in myofibrillar proteins after reperfusion of ischemic myocardium in dogs . . . 250
Henning B, Zehender M, Meinertz T, Just H (Freiburg/F.R.G.) Effect of tetrodotoxin, lidocaine, and quinidine on the transient inward current of sheep Purkinje fibres . . . 176
Heuer HJ, Müller E, Bernauer W (Freiburg/F.R.G.) Differential effects of superoxide dismutase on high energy phosphates, creatine kinase release, and arrhythmias during post-ischaemic reperfusion in isolated rat hearts . . . 149
Heusch G, Schäfer S, Kröger K (Düsseldorf/F.R.G.) Recruitment of inotropic reserve in "stunned" myocardium by the cardiotonic agent AR-L 57 . . . 602
Hiatt N, Hiatt J (Los Angeles, California/U.S.A.) Hyperkalemia and the electrocardiogram in dogs . . . 137
Himmel HM, Siess M (Tübingen/F.R.G.) Positive inotropic and chronotropic effects of the calcium ionophore A23187 (calimycin) on guinea-pig atria . . . 167
Hittinger L, Crozatier B (Limeil-Brévannes/France) Diameters and segment relations during the cardiac cycle in the canine left ventricle . . . 501
Hütter JH, Schweickhardt Ch, Hunnemann DH, Piper HM, Spieckermann PG (Göttingen/F.R.G.) A new method for studying the incorporation of nonesterified fatty acid into cardiac lipids by using deuterium-labelled palmitate . . . 87
Karliner JS, Simpson PC (San Fancisco/U.S.A.) β-Adrenoceptor and adenylate cyclase regulation in cardiac myocyte growth . . . 655
Kirchhof CJHJ, Bonke FIM, Allessie MA (Maastricht/The Netherlands) Evidence for the pressure of electrotonic depression of pacemakers in the rabbit atrioventricular mode. The effects of uncoupling from the surrounding myocardium . . . 190
Kuviluoma KT, Karhunen M, Lapinlampi T, Peuhkurinen KJ, Hassinen IE (Oulu/Finland) Acetate-induced changes in cardiac energy metabolism and hemodynamics in the rat . . . 431
Klein HH, Pich S, Lindert S, Buchwald A, Nebendahl K, Kreuzer H (Göttingen/F.R.G.) Intracoronary superoxide dismutase for the treatment of "reperfusion injury". A blind randomized placebo-controlled trail in ischemic, reperfused porcine hearts . . . 141
Kwiatowska-Patzer B, Zalewska T (Warszawa/Poland) Effect of propranolol upon protein and proteolytic synthesis activity in hypertrophic myocardium . . . 43
Lowe JE, Hartwich T, Takla M, Schaper J (Durham/U.S.A., Bad Nauheim/F.R.G.) Ultrastructure of electrophysiologically identified human sinoatrial nodes . . . 401
Marcus E, Barta E, Beyar R, Battler A, Rath S, Har-Zahav Y, Adam D, Lorente P, Sideman S (Haifa/Israel) Characterization of regional left ventricular contraction by curvature difference analysis . . . 486
Miura T, Downey JM (South Alabama/U.S.A.) Collateral perfusion of ischemic myocardium is inversely related to the size of the ischemic zone . . . 128
Morano I, Bächle-Stolz C, Katur A, Rüegg JC (Heidelberg/F.R.G.) Increased calcium sensitivity of chemically skinned human atria by myosin light chain kinase . . . 350
Moreb J, Hershko C, Hasin Y (Jerusalem/Israel) Effects of acute iron loading on contractility and spontaneous beating rate of cultured rat myocardial cells . . . 360
Moser M, Kenner T (Graz/Austria) Blood flow and volume determinations in aorta and in coronary circulation by density dilution . . . 577
von Mutius S, Neumann M, Meesmann W (Essen/F.R.G.) Early changes in collateral blood flow to ischemic myocardium and their influence on bimodal vulnerability during the first 30 min of acute coronary artery occlusion in dogs . . . 94
Noma K, Brändle M, Jacob R (Tübingen/F.R.G., Tokyo/Japan) Evaluation of left ventricular function in an experimental model of congestive heart failure due to combined pressure and volume overload . . . 58
Pauletto P, Vescovo G, Scannapieco G, Angelini A, Dalla Libera L, Carraro U, Tessari F, Dal Palù C (Padova, Abano Terme/Italy) Ventricular myosin pattern of spontaneously hypertensive turkey is unaffected by labetalol treatment . . . 277
Perennec J, Herremann F, Cosma H, Ilers F, Djigouadi M, Hatt P-Y, Willemin M (Limeil-Brévannes, Paris/France) Relationship of myocardial morphometry in aortic valve regurgitation to myocardial function and postoperative results . . . 10
Perktold K, Kenner T, Hilbert D, Spork B, Florian H (Graz/Austria) Numerical blood flow analysis: arterial bifucation with a saccular aneurysm . . . 24
Petkov O, Popova N, Orbetsova V, Kolarova R, Dakovska L (Sofia/Bulgaria) Changes in ECG, plasma and myocardial lipids in experimental myocardial hypertrophy in rats . . . 296
Pich S, Klein HH, Lindert S, Nebendahl K, Kreuzer H (Göttingen/F.R.G.) Cell death in ischemic, reperfused porcine hearts: A histochemical and functional study . . . 550

Pytkowski B (Warszawa/Poland) Effects of ouabain and low-Na perfusion on rest-decay and post-rest recovery of cellular Ca content in ventricular muscle of guinea-pig heart 213
Rabkin WS (Vancouver/Canada) The effect of calcium ions and the calcium inophore A23187 on choline uptake and phosphatidylcholine biosynthesis in chick embryo hearts 664
Rahusen FD, van Gilst WH, Robillard GT, Dijkstra K, Wildevuur CRH (Groningen/The Netherlands) Captopril improves recovery of adenosine triphosphate during reperfusion of the ischemic isolated rat heart; a 31-phosphorus-nuclear magnetic resonance study 540
Ramanathan KB, Wilson JL, Mirvis DM (Memphis, Tennessee/U.S.A.) Effects of coronary occlusion on transmural distribution of blood flow in the interventricular septum and left ventricular free wall 229
Santamore WP, Constantinescu M, Minczak BM, Hock CE, Papa L (Winston-Salem, Camden/U.S.A.) Contribution of each ventricular wall to ventricular interdependence 424
Sheppard AJ, Gavin JB (Auckland/New Zealand) The transmural progression of the non-reflow phenomenon in globally ischemic hearts 611
Sinzinger H, Rauscha F, Fitscha P, Kaliman J (Vienna/Austria) Beneficial effect of PGI2 on circulating endothelial cells 597
Stark G, Stark U, Tritthart HA (Graz/Austria) Modulation of cardiac impulse generation and conduction by nifedipine and verapamil analyzed by a refined surface ECG technique in Langendorff perfues guinea pig hearts 202
Takasu N, Hashimoto H, Miyazaki Y, Ito T, Ogawa K, Satake T (Nagoya/Japan) Effects of phospholipase inhibitors and calcium antagonists on the changes in myocardial phospholipids induced by isoproterenol 567
Takeda N, Nakamura I, Ohkubo T, Hatanaka T, Nagano M (Tokyo/Japan) Effects of physical training on the myocardium of streptozotocin-induced deabetic rats 525
Tosaki A, Hearse DJ (London/U.K., Szeged/Hungary) Fluoro-fatty acids and the impairment of cardiac function in the rat in vivo and in vitro 158
Vedernikov YP, Gräser T, Tiedt N, Vikhert AM (Erfurt/G.D.R.) Heterogeneity of the response of venous smooth muscle to arterial endothelium-derived relaxing factor (EDRF) in respect of the role of nitric oxide 122
Vedernikov YuP, Lankin VZ, Tikhaze AC, Vikhert AM (Moscow/USSR) Lipoproteins as factors in vessel tone and reactivity modulation 590
Ventura C, Guarnieri C, Bastagli L, Caldarera CM (Bologna/Italy) Opioids stimulate sarcolemmal NAD(P)H-vanadate dehydrogenase activity 376
Vetter U, Kupferschmid C, Lang D, Pentz S (Ulm/F.R.G.) Insulin-like growth factors and insulin increase the contractility of neonatal rat cardiocytes in vitro 647
Watters TA, Botvinick E, Parmely WW, Wu S, Wikman-Coffelt J (San Francisco/U.S.A.) Chemomechanics of altered perfusion pressure in rat hearts 32
Weber F, Anlauf M, Serdarevic M (Essen/F.R.G.) Noninvasive, quantitative determination of muscle blood flow in man by a combination of venous-occlusion plethysmography and computed tomography 327
Weckenmann M, Adam G, Rauch E, Schulenberg A (Filderstadt/F.R.G.) The coordination of heart beat and respiration during ergometric stress in patients with functional cardiovascular diseases 452
Wheatley AM, Butkow N, Marcus RH, Lippe Th, Rosendorff C (Johannesburg/South Africa) Enhanced myocardial contractility but not tachycardia persists in isolated working hyperthyroid rat hearts 634
Zhao M, Franzen D, Eng C (New York/U.S.A.) The effect of coronary arterial pressure on myocardial distensibility. Absence of a "garden house" effect during in-vivo conditions 626
Zimmer G, Evers J (Frankfurt/F.R.G.) 2-mercaptopropionylglycine improves aortic flow after reoxygenation in working rat hearts 445
Zimmer H-G, Zierhut W, Seesko RC, Varekamp AE (Munich/F.R.G., Rijswijk/The Netherlands) Right heart catheterization in rats with pulmonary hypertension and right ventricular hypertrophy 48

Author Index to Volume 83 (1988) 687

Subject Index to Volume 83 (1988) 689